

601S Cabinets



Standard

- Comply with ANSI/EIA RS-310-D, IEC60297-2, DIN41494; PART1: DIN41494;PART7

Material

- SPCC Cold Rolled Steel;
- 19" rails: 2.0mm, side panel:1.0mm others: 1.2mm

Colour

- 601S ■■■■■■ 0 ■■:RAL7035
- 601S ■■■■■■ 1 ■■:RAL9004

Loading Capacity

- Static loading: 800KG

Feature


- Exquisite design with precise dimension and craftsmanship;
- Several styles of front and rear doors options available;
- Adjustable feet and heavy duty castors are available simultaneously;
- Cable entry on the top cover and bottom panel with adjustable sizes ;
- Optional installation of plinth to enable cabinets fixation, under-base cable entry/ventilation;
- Efficient and reliable cabinet connection by baying kit;
- Removable side panels to ease maintain.

CABINET

601S NETWORK CABINETS

Main Part

S/N	Specification	Qty	Material	Surface Finish	Remark
1	Rear door	1	----	----	See front&rear door type
2	Side panel	2	SPCC t1.0	Powder coated	Small round lock
3	19" rails	4	SPCC t2.0	zinc-plated	
4	Mounting angle	4/6	SPCC t1.2	Powder coated	6pcs for over 33U
5	Top cover	1	SPCC t1.2	Powder coated	
6	Frame	2	SPCC t1.2	Powder coated	
7	Cable management slot	2	SPCC t1.0	Powder coated	Only used for 800 width cabinet
8	Front door	1	----	----	See front&rear door type
9	Mounting spacer	8/12	SPCC t1.2	Powder coated	Only used for 800 width cabinet : 6pcs for over 33U
10	Bottom	1	SPCC t1.2	Powder coated	
11	cable entry panel	4	SPCC t1.2	Powder coated	
12	2" heavy duty castor	4	----	----	----
hardware kits with cabinet:					
A	M12 adjustable feet	4	Steel	Zinc-plated	Height:100MM
B	M6 screw& nuts	20/40	Steel	Zinc-plated	40pcs for over 33U
C	Trox tooling	1	Steel	Zinc-plated	----



- Right-angled frame enables users to easily place the logo.
- Easily connected and removed earth cable available.

Definition Of Code

601S ■ ■ ■ ■ ■ 00

Definition of color:0-RAL7035; 1-RAL9004

Definition of rear door:
 0-Tempered glass door;
 1-Tempered glass door with striped hole;
 2-Tempered glass door with hexagon hole;
 3-Sheet steel door;
 4-Sheet steel door with hexagon hole;
 5-High-density vented door;

Definition of front door:
 0-Tempered glass door;
 1-Tempered glass door with striped hole;
 2-Tempered glass door with hexagon hole;
 3-Sheet steel door;
 4-Sheet steel door with hexagon hole;
 5-High-density vented door;

Cabinet capacity:(U)

Cabinet depth:(MM): 6=600;8=800;9=900;
 0=1000;1=1100;2=1200

Cabinet width:(MM): 6=600;8=800

CABINET

601S NETWORK CABINETS

Specification

Part Number.	Width (mm)	Depth(D) (mm)	Capacity (U)	Height(H) (mm)	CKD packing parts			
601S.6615. ■■■. ■00	600	600	15	800	3			
601S.6620. ■■■. ■00			20	1022				
601S.6624. ■■■. ■00			24	1200				
601S.6629. ■■■. ■00			29	1422				
601S.6633. ■■■. ■00			33	1600				
601S.6638. ■■■. ■00			38	1822				
601S.6642. ■■■. ■00			42	2000				
601S.6647. ■■■. ■00			47	2222				
601S.6815. ■■■. ■00			800	800		15	800	
601S.6820. ■■■. ■00						20	1022	
601S.6824. ■■■. ■00		24				1200		
601S.6829. ■■■. ■00		29				1422		
601S.6833. ■■■. ■00		33				1600		
601S.6838. ■■■. ■00		38				1822		
601S.6842. ■■■. ■00		42				2000		
601S.6847. ■■■. ■00		47				2222		
601S.6938. ■■■. ■00		900				900	38	1822
601S.6942. ■■■. ■00							42	2000
601S.6947. ■■■. ■00			47	2222				
601S.6038. ■■■. ■00		1000	1000	38		1822		
601S.6042. ■■■. ■00	42			2000				
601S.6047. ■■■. ■00	47			2222				
601S.8638. ■■■. ■00	800	600	38	1822	4			
601S.8642. ■■■. ■00			42	2000				
601S.8647. ■■■. ■00			47	2222				
601S.8838. ■■■. ■00			800	800		38	1822	
601S.8842. ■■■. ■00		42				2000		
601S.8847. ■■■. ■00		47				2222		
601S.8938. ■■■. ■00		900				900	38	1822
601S.8942. ■■■. ■00							42	2000
601S.8947. ■■■. ■00							47	2222
601S.8038. ■■■. ■00			1000	1000			38	1822
601S.8042. ■■■. ■00		42				2000		
601S.8047. ■■■. ■00		47				2222		

CABINET


601S NETWORK CABINETS



- Front & rear door (type 0)
Tempered glass door.
Small lock;
Reversible right or left handed doors;
Turning angle is over 180 degrees;
- Material:
Sheet steel
5MM safety glass
- Surface Finish: Powder coated
- Color: RAL7035;RAL9004



- Front & rear door (type 1)
Tempered glass door with striped hole.
Gray decoration bar;
Small lock;
Reversible right or left handed doors;
Turning angle is over 180 degrees;
- Material:
Sheet steel
5MM safety glass
- Surface Finish: Powder coated
- Color: RAL7035; RAL9004



- Front & rear door (type 2)
Tempered glass door with net hole.
Gray decoration bar;
Lock with comfort handle;
Reversible right or left handed doors;
Turning angle is over 180 degrees;
- Material:
Sheet steel
5MM safety glass
- Surface Finish: Powder coated
- Color: RAL7035; RAL9004



- Front & rear door (type 3)
Sheet steel door.
Small lock;
Reversible right or left handed doors;
Turning angle is over 180 degrees;
- Material:
Sheet steel
- Surface Finish: Powder coated
- Color: RAL7035; RAL9004



- Front & rear door (type 4)
Sheet steel door with hexagon hole.
Small lock;
Reversible right or left handed doors;
Turning angle is over 180 degrees;
- Material:
Sheet steel
- Surface Finish: Powder coated
- Color: RAL7035; RAL9004



- Front & rear door (type 5)
High-density vented door;
Slotted surface (SW7 hexagon) Air inlet opening>60%;
Lock with comfort handle;
Reversible right or left handed doors;
Turning angle is over 180 degrees;
- Material: Sheet steel
- Surface Finish: Powder coated
- Color: RAL7035; RAL9004

CABINET 601S NETWORK CABINETS

CKD Packing

