

HORIZONTAL CLOSURE FIBER OPTIC SPLICE

VJS-E005



Core capacity(Max.)			Optional Assemble		Outside Dimension (L*W*H)MM	Cable Diameter (mm)	Straight-through
Bunchy (Single)	Bunchy (Double)	Ribbon	Adapter	Splitter			
84	168	288	N	N	504*250*127	6*round:20mm	N

- Advanced internal structure design
- Easy to re-enter, it never requires re-entry tool kit
- Underground, hand hole-mounting and duct-mounting

VJS-E006



Core capacity(Max.)			Optional Assemble		Outside Dimension (L*W*H)MM	Cable Diameter (mm)	Straight-through
Bunchy (Single)	Bunchy (Double)	Ribbon	Adapter	Splitter			
144	288	576	N	N	504*250*195	6*round:20mm	N

- The closure is spacious enough for winding and storing fibers
- Fiber Optic Splice Trays(FOSTs) are design in SLIDE-IN-LOCK and its opening angle is about 90°

VJS-E007



Core capacity(Max.)			Optional Assemble		Outside Dimension (L*W*H)MM	Cable Diameter (mm)	Straight-through
Bunchy (Single)	Bunchy (Double)	Ribbon	Adapter	Splitter			
144	288	576	N	N	536*265*210	4*round:20mm 2*round:40mm	Y

- Fiber Optic Splice Trays(FOSTs) are design in SLIDE-IN-LOCK and its opening angle is about 90
- The curved diameter meets with international standard

VJS-E008



Core capacity(Max.)			Optional Assemble		Outside Dimension (L*W*H)MM	Cable Diameter (mm)	Straight-through
Bunchy (Single)	Bunchy (Double)	Ribbon	Adapter	Splitter			
72	96	/	N	N	464*210*103	4*round*22mm	N

- Easy and fast to increase and reduce FOSTs
- Suitable for bunchy fibers
- Underground, hand hole-mounting and duct-mounting